Electronic Acknowledgement Receipt				
EFS ID:	7676760			
Application Number:	10777950			
International Application Number:				
Confirmation Number:	7092			
Title of Invention:	Roofing shingle			
First Named Inventor/Applicant Name:	Tommy Rodrigues			
Correspondence Address:	Attn: William J. Davis, Esq.  GAF MATERIALS CORPORATION  Legal Department, Building No. 10  1361 Alps Road  Wayne  NJ  07470  US  973-628-3529			
Filer:	Rachel J. Lin/Bonnie Crespi			
Filer Authorized By:	Rachel J. Lin			
Attorney Docket Number:	FDN-2797			
Receipt Date:	24-MAY-2010			
Filing Date:	12-FEB-2004			
Time Stamp:	18:06:04			
Application Type:	Utility under 35 USC 111(a)			
Payment information:				

yes

\$1480

Deposit Account

Submitted with Payment

Payment was successfully received in RAM

Payment Type

		5802			
Deposit Account		031250			
Authorized U	ser				
File Listin	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Amendment Submitted/Entered with Filing of CPA/RCE	Amendment_ResponseAF2.pdf	109141 b/b6%b00MScc1clcb2e(1b1347)222c5d3 381d8	no	13
Warnings:					
Information:					
2	Request for Continued Examination (RCE)	RCE.pdf	797452 35582cf672c1c6se85a132dd99da49b365f4 7461	no	3
Warnings:					
Information:					
3	Information Disclosure Statement (IDS) Filed (SB/08)	Suppl_IDS.pdf	620329	no	4
			a024270ceSb456ed3f7d238649e2946cf144 2e42		
Warnings:					
Information: A U.S. Patent N autoloading of	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove	the form to add the required dat	a in order to correct the Ir	formational !	Nessage if
Information:  A U.S. Patent N autoloading of you are citing U within the Imag	umber Citation or a U.S. Publication Numbe	the form to add the required dat J.S. References, the image of the I data will be extracted from this fo	a in order to correct the Ir form will be processed and orm. Any additional data si	nformational t d be made av	Message if ailable
Information:  A U.S. Patent N autoloading of you are citing U within the Imag	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove J.S. References. If you chose not to include U ge File Wrapper (IFW) system. However, no o	the form to add the required dat J.S. References, the image of the I data will be extracted from this fo	a in order to correct the Ir form will be processed and orm. Any additional data st ems.	nformational t d be made av	Message if ailable
Information: A U.S. Patent N autoloading of you are citing L within the Imag Documents or	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove J.S. References. If you chose not to include I ge File Wrapper (IFW) system. However, no Non Patent Literature will be manually revie	the form to add the required dat J.S. References, the image of the i data will be extracted from this fo wed and keyed into USPTO syste	a in order to correct the Ir form will be processed an- orm. Any additional data si rms.  57588	nformational d be made av uch as Foreign	Message if ailable n Patent
Information: A U.S. Patent N autoloading of you are citing L within the Imag Documents or I 4  Warnings:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove U.S. References. If you chose not to include to ge File Wrapper (IFW) system. However, no o Yon Patent Literature will be manually revie	the form to add the required dat J.S. References, the image of the i data will be extracted from this fo wed and keyed into USPTO syste	a in order to correct the Ir form will be processed an- orm. Any additional data si rms.  57588	nformational d be made av uch as Foreign	Message if ailable n Patent
Information: A U.S. Patent N autoloading of you are citing U within the Imag Documents or I	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove U.S. References. If you chose not to include to ge File Wrapper (IFW) system. However, no o Yon Patent Literature will be manually revie	the form to add the required dat J.S. References, the image of the i data will be extracted from this fo wed and keyed into USPTO syste	a in order to correct the Iron will be processed an orm. Any additional data st mrs. Any additional data st ms. 57588 4463194685556863740486855515 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 466	nformational d be made av uch as Foreign	Message if ailable n Patent
Information: A U.S. Patent N autoloading of you are citing L within the ima Documents or  4  Warnings: Information:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove U.S. References. If you chose not to include to ge File Wrapper (IFW) system. However, no or Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line	the form to add the required dat US. References, the image of the lata will be extracted from this for tweed and keyed into USPTO syste Reference.pdf	a in order to correct the Iron will be processed an orm. Any additional data sims.  57588  46619968355686178628649850115	nformational I d be made av. uch as Foreigr no	Message if ailable n Patent 3
Information: A U.S. Patent N autoloading of you are citing L within the Image Documents or 4  Warnings: Information: 5	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove US. Reference. If you chose not to include t ge File Wrapper (IFW) system. However, no Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line drawings	the form to add the required dat US. References, the image of the lata will be extracted from this for tweed and keyed into USPTO syste Reference.pdf	a in order to correct the Iron will be processed an orm. Any additional data st mrs. Any additional data st ms. 57588 4463194685556863740486855515 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 466	nformational I d be made av. uch as Foreigr no	Message if ailable n Patent 3
Information: A U.S. Patent N autoloading of you are citing ly within the Imap Documents or  4  Warnings: Information: 5  Warnings: Information:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove U.S. References. If you chose not to include to ge File Wrapper (IFW) system. However, no or Non Patent Literature will be manually revie  Foreign Reference  Drawings-only black and white line drawings	the form to add the required dat U.S. Reference, the image of the data will be extracted from this for- wed and keyed into USPTO syste Reference.pdf Replacement_Drawings.pdf	a in order to correct the Iron will be processed an orm. Any additional data st mrs. Any additional data st ms. 57588 4463194685556863740486855515 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 46699 466	nformational A d be made avach as Foreign no	Message if allable n Patent 3
Information: A U.S. Patent N autoloading of you are citing L within the Image  Warnings: Information: 5  Warnings:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove US. Reference. If you chose not to include t ge File Wrapper (IFW) system. However, no Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line drawings	the form to add the required dat US. References, the image of the lata will be extracted from this for tweed and keyed into USPTO syste Reference.pdf	a in order to correct the Iron will be processed an orm. Any additional data sims.  57588  4661194000505681780286498551415  182230  olsetba70266410486246324662748	nformational I d be made av. uch as Foreigr no	Message if ailable n Patent 3
Information: A U.S. Patent N autoloading of you are citing (within the Imag Documents or I  Warnings: Information:  6  Warnings: Warnings: Warnings:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove S. References. If you chose not to include t ge File Wrapper (IFW) system. However, no o Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line drawings  Extension of Time	the form to add the required dat U.S. Reference, the image of the data will be extracted from this for- wed and keyed into USPTO syste Reference.pdf Replacement_Drawings.pdf	a in order to correct the Iron will be processed an orm. Any additional data simm. Any additional data simms.  57588  4661994085556861788284698554155  182230  other@dd7086618686516228462164  other@dd708661868651622846216	nformational A d be made avach as Foreign no	Message if allable n Patent 3
Information: A U.S. Patent N autoloading of you are citing to within the Imap Documents or  4  Warnings: Information: 6  Warnings: Warnings: Warnings:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove S. References. If you chose not to include t ge File Wrapper (IFW) system. However, no o Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line drawings  Extension of Time	the form to add the required dat U.S. Reference, the image of the data will be extracted from this for- wed and keyed into USPTO syste Reference.pdf Replacement_Drawings.pdf	a in order to correct the Iron will be processed an orm. Any additional data simm. Any additional data simms.  57588  4661994085556861788284698554155  182230  other@dd7086618686516228462164  other@dd708661868651622846216	nformational A d be made avach as Foreign no	Message if allable n Patent 3
Information: A U.S. Patent N autoloading of you are citing ly within the Imap Documents or  4  Warnings: Information: 5  Warnings: Information:	umber Citation or a U.S. Publication Numbe data into USPTO systems. You may remove S. References. If you chose not to include t ge File Wrapper (IFW) system. However, no o Non Patent Literature will be manually revie Foreign Reference  Drawings-only black and white line drawings  Extension of Time	the form to add the required dat U.S. Reference, the image of the data will be extracted from this for- wed and keyed into USPTO syste Reference.pdf Replacement_Drawings.pdf	a in order to correct the Iron will be processed an orm. Any additional data simm. Any additional data simms.  57588  4661994085556861788284698554155  182230  other@dd7086618686516228462164  other@dd708661868651622846216	nformational A d be made avach as Foreign no	Message if allable n Patent 3

Information:	
Total Files Size (in bytes):	2112845

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

## New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

## National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

## New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.